

ENVIRONMENTAL PROTECTION ACT 1990. SITE LICENCE.

LICENCE REF No: EAWML40217

FACILITY TYPE: Vehicle Storage Facility

The Environment Agency, in pursuance of Part II of the Environmental Protection Act 1990 and Regulation 45 of The End-of-Life Vehicles Regulations 2003, hereby grant a site licence authorising the keeping of controlled waste on the land specified in schedule 1 to this licence to Adam Ravat and Ebrahim Ravat, Queen Street, Premier Business Park, Walsall, West Midlands, WS2 9NU those persons being in occupation of the said land, the said licence being subject to the conditions specified in schedule 2 to this licence.

SCHEDULE 1.- SPECIFIED LAND.

The licence relates to the land at Queen Street, Premier Business Park, Walsall, West Midlands, WS2 9NU (hereinafter called "the site") shown edged red on Drawing Reference Number 1486-01, and attached to this licence.

Authorised to sign on behalf of the Environment Agency	Name Alison Cook
Dated 22rd March 2005	·
FOR ENVIRONMENT AGENCY OFFICIAL USE ONLY.	
,	

YOUR ATTENTION IS DRAWN TO THE RIGHTS OF APPEAL DETAILED IN THE NOTES OVERLEAF.

Environment Agency, Sentinel House, Wellington Crescent, Fradley Park, Lichfield, Staffordshire WS14 9EF

EXPLANATORY NOTES - including rights of appeal.

RIGHTS OF APPEAL

Section 43(1) of the Environmental Protection Act 1990 provides that:

Where, except in pursuance of a direction given by the Secretary of State, a licence is granted subject to conditions, the applicant may appeal from the decision to the Secretary of State.

Therefore, if you feel aggrieved by the decision detailed on the attached notice, you may obtain the appropriate form on which to give written notice of an appeal from:-

The Planning Inspectorate
Room 4/19
Eagle Wing, Temple Quay House
2 The Square
Temple Quay
Bristol
BS1 6PN

For Wales, the address is:
The Planning Inspectorate
National Assembly for Wales
Environmental Protection Division
Crown Buildings
Cardiff
CF10 3NQ

Tel: 0117 372 8812 Fax: 0117 372 6093 Tel: 02920 823859 Fax: 02920 825150

This notice of appeal should be accompanied by the following information:

a statement of the grounds of appeal;


a copy of the licence;

a copy of any correspondence relevant to the appeal;

a copy of any other document relevant to the appeal including, in particular, any relevant consent, determination, notice, planning permission, established use certificate or certificate of lawful use or development and

a statement indicating whether you wish the appeal to be in the form of a hearing or on the basis of written representations.

You are also required to serve a copy of your notice of appeal, together with copies of any the above documents that have accompanied your notice of appeal, on the Environment Agency (at the address overleaf). You should appeal within 6 months of the date that this notice takes effect but the Secretary of State may allow notice of appeal to be given after the expiry of this time period.



SCHEDULE 2

	\sim 1	•	1 . •
1	Cteneral	CONSI	derations
	Contolui	COTION	actanthis

1,1	Application of	conditions to a	ıll waste motor vehicles

- 1.1.1 The conditions of this licence apply to the recovery (including storage) of all waste motor vehicles as defined by regulation 50 of the End-of-life Vehicles Regulations 2003.
- 1.2 Technical Requirements for the Storage of waste motor vehicles
- 1.2.1 The storage (including temporary storage) of waste motor vehicles shall only be carried out at the site if it meets the standards set out in Schedule 5 of the End-of-life Vehicles Regulations 2003.
- 1.2.2 Storage of waste motor vehicles shall meet the requirements of Schedule 5 of the ELV Regulations. Infrastructure and equipment provided to meet these obligations shall be maintained in working order and shall be used to give effect to their purpose.

Specific considerations

- 2.1 Specified waste motor vehicle storage operations
- 2.1.1 The Operator is authorised to carry out the activities specified in Table 2.1
- 2.2 Specified Waste Management Operations & Exempt Waste Management Operations
- 2.2.1 Where wastes are being brought onto the site for waste management operations which are exempt from licensing under the 1994 Regulations, then the wastes which are subject to the specified waste management operations shall be kept clearly segregated and identified from those wastes which are being kept on the site for the exempt waste management operations.

WML Number:

EAWML40217

Table 2.1 Specified end-of-life vehicle storage and treatment operations

Specified Operation

Permitted Waste Types (and European Waste Catalogue number) which may be subject to the Specified Operation

Limits on Specified Operations

STORAGE

R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced).

(i) 16 01 04 End of life vehicles **

- Maximum storage capacity 100 vehicles stored on an Impermeable Pavement with a sealed drainage system
- (ii) 16 01 06 End of life vehicles (containing neither liquids nor other hazardous components)
- Maximum storage capacity 1000 vehicles
- Maximum storage time of 1 year prior to disposal or 3 years prior to recovery

The Waste Management Operations shall only take place within the areas as specified in the attached plan reference 1486-01. The overall annual throughput of the site shall not exceed 2500 vehicles.

EWC entries marked with a ** may be hazardous depending on threshold concentrations. Please refer to Agency Technical Guidance WM2 or subsequent guidance for further advice

2.3 Fit and proper person

- 2.3.1 Any changes in the technically competent management of the site, the name of any incoming person and evidence that such a person has the required technical competence, shall be submitted to the Agency in writing within 5 working days of the change in management.
- 2.3.2 In the event of the Licence Holder being convicted of any relevant offence and which is in addition to any already notified to the Agency, then full details shall be provided to the Agency within 14 days following sentencing, whether or not the conviction or sentence is subsequently appealed. Such details shall include the nature of the offence, the place and date of conviction, and any fine or other penalty imposed.
- 2.3.3 In the event that the Licence Holder lodges an appeal against any such conviction, the Licence holder shall notify the Agency of this within 14 days of the lodging. The Licence Holder shall notify the Agency of the results of that appeal within 14 days of the appeal being decided.

WML Number:

EAWML40217

2.4 Notification of change of operator's or holder's details

- 2.4.1 The following information shall be notified in writing within 5 working days to the Agency:
 - any change in the Licence Holder's name(s) or address(es);
 - b the operator at the time of issue of the licence and of any change in the operator or in the operator's trading name, address, registered name or registered office address (if different from the Licence Holder);

2.5 Notifications and submissions to the Agency

- 2.5.1 Except where otherwise specified , all notifications and submissions to the Agency under the requirements of these licence conditions:
 - a shall be made in writing to the address specified by the Agency in writing at the time of issue of this licence, or as subsequently specified by written notification to the Licence Holder
 - **b** shall quote the licence reference number and the name of the Licence Holder.

3 Site engineering for pollution prevention & control

3.1 Engineering site containment & drainage systems

Provision & maintenance of site containment & drainage systems

- 3.1.1 No waste shall be deposited, stored or otherwise handled in any area of the site until the engineered site containment and drainage system for that area has been constructed and completed in accordance with condition 3.1.2.
- 3.1.2 The engineered site containment and drainage systems shall be designed, constructed, inspected, validated and maintained, and shall be fully documented and recorded, to be fit for purpose and meet the standards specified in Table 3.1 below.

WML Number:

EAWML40217

Table 3.1 Site containment & drainage standards Minimum Specified Standards of Design, Construction & Maintenance Type of Site Surface & Drainage Areas of hardstanding shall be constructed of granular material (e.g. crushed Hardstanding stone, aggregate, road planings or other similar material) and maintained such that the working surface: shall remain even shall not be subject to settlement or differential settlement ii) shall not be subject to rutting by vehicles even when wet iii) iv) shall have sufficient durability to allow cleaning for example by scraping shall remain free of standing water. Areas of impermeable pavement, bunding and sills shall be constructed and Impermeable maintained so as to prevent fluids running off the pavement and the transmission pavement, bunding and sills of fluids through the pavement or joints. Where there is a risk of chemical corrosion, areas of impermeable pavement, kerbs, bunds and sills shall be provided with suitable resistance to minimise such corrosion. Drainage to areas of impermeable pavement shall be provided by a sealed Sealed drainage drainage system, that is comprised of a drainage system with impermeable systems components which does not leak and which will ensure that:no liquid will run off the pavement other than via the system; and except where they may be lawfully discharged, all liquids entering the system are collected in a sealed sump. Sealed sumps shall be inspected no less frequently than daily and after rain, emptied when the collected liquids reach 80% of the capacity of the sump as measured using a dipstick or equivalent gauge, and constructed and maintained so as to collect and contain all liquids which run off the pavement; Inspections and emptying of sealed sumps shall be recorded in the site diary. Uncontaminated drainage from clean yard areas shall be kept separate and discharged to either surface water or sewer or watercourse or soakaway. Where wastes are stored in a building: d) Covered the building shall be designed, constructed and maintained to prevent ingress buildings OΓ roofed areas of rain and surface water. roof water shall be kept separate from contaminated water and other liquids

- and shall be discharged to either surface water or a sewer or a water course or a soakaway.
- Fixed bays

Fixed bays and other fixed containers used for the storage and treatment of wastes must be constructed and maintained to a standard which is fit for purpose.

Storage areas for tanks, skips, drums and other containers

All tanks, skips, drums and other containers which are used for the storage or treatment of wastes shall be constructed and maintained so that they do not leak any liquids contained in them.

All tanks (and their associated inlet and outlet pipes and valves) which are used for the storage or treatment of wastes shall be stored within a bunded or silled area with impermeable pavement, which shall be isolated from the drainage system and shall meet the following specifications:

WML Number:

EAWML40217

Table 3.1 Site containment & drainage standards

Type of Site Surface Minimum Specified Standards of Design, Construction & Maintenance & Drainage

- The bunded or silled area shall be designed and constructed to contain 110% of the volume of the largest container or tank.
- The bunded or silled area shall be inspected no less frequently than weekly and after rain and shall be emptied so as to maintain a capacity of 110% of the volume of the largest container or tank.
- Rainwater shall be removed by bailing or pumping and shall be treated as contaminated water and disposed of to either an approved discharge or a suitably licensed or permitted facility.
- g) Inspection and maintenance of engineered containment

All areas of hardstanding, impermeable pavement, sealed drainage systems, covered buildings, roofed areas, fixed bays and storage areas for tanks, skips, drums and other containers:

- shall be inspected no less frequently than monthly, to ensure the continuing integrity and fitness for purpose of their construction, and the inspection and any necessary maintenance shall be recorded in the site diary; and
- ii) in the event of any damage occurring which breaches the integrity of the engineered containment so that it no longer meets the specified standards, the Licence Holder shall cease importing waste into or treating waste in the affected area, shall notify the Agency immediately, and shall not recommence importing waste into or treating waste in the affected area until it has been repaired to a standard at least as good as the original specification.

Construction quality assurance of new site containment & drainage systems

- 3.1.3 No wastes shall be deposited, stored or otherwise handled in any area or any fixed tank for which an engineered site containment and drainage system is to be newly constructed to meet the requirements of this condition until:
 - details of the identities, relevant experience and relevant qualifications of the personnel who will be providing Quality Assurance of the engineered site containment and drainage systems have been submitted in writing to the Agency and acknowledged in writing by the Agency;
 - the engineered site containment and drainage system has been constructed in accordance with the other requirements of condition 3.1;
 - the Validation Report on the construction of the engineered site containment and drainage system has been submitted in writing to the Agency, and the Agency has confirmed in writing that it has no objection to the placement of wastes on that containment area.

WML Number:

EAWML40217

Construction quality assurance of existing site containment & drainage systems

- 3.1.4 No wastes shall be deposited, stored or otherwise handled in any area or any fixed tank for which a previously constructed and existing engineered site containment and drainage system is being used to meet the requirements of this condition unless:
 - details of the identities, relevant experience and relevant qualifications of the suitably qualified Engineer who will be providing inspection and validation of the existing engineered site containment and drainage systems have been submitted in writing to the Agency and acknowledged in writing by the Agency;
 - the engineered site containment and drainage system for that area has been inspected by the designated Engineer and has been maintained or improved, in accordance with their recorded advice, to be fit for purpose in that:
 - areas of impermeable pavement are laid to take weight of relevant vehicles, plant and equipment without cracking or breaking; and
 - areas of impermeable pavement are free from cracks which could increase permeability; and
 - areas of impermeable pavement are resistant to mechanical, physical and chemical stresses to which they may be subjected; and
 - iv areas of impermeable pavement fall towards the drainage system to prevent ponding; and
 - no liquid will run off areas of impermeable pavement other than via the drainage system; and
 - the drainage system is sealed so that it does not leak and is capable of collecting and containing liquids draining from the impermeable pavement; and
 - ilquid from the drainage system is disposed of to an approved discharge.
- 3.1.5 The existing engineered site containment and drainage system shall be maintained in accordance with the recommendations of the designated engineer and the requirements of Table 3.1.

4 Site infrastructure

4.1 Site security

4.1.1 The site shall be secure.

4.2 Provision of site identification board

- 4.2.1 No end-of-life vehicles shall be received at the site unless an identification board is provided at or near the site entrance.
- 4.2.2 The board shall be easily readable from outside the site entrance in daylight hours, and shall display the following information:
 - a Site name and address;

WML Number:

EAWML40217

- Licence Holder name (company name, not individual name unless justified as necessary);
- operator name (company name, not individual name unless justified as necessary);
- d Licence number;
- e Emergency contact name and telephone number (for security reasons, personal names and home phone numbers should not be used);
- f Statement that the site is an Authorised Treatment Facility, licensed by the Environment Agency;
- Agency national numbers: 0845 933 3111 and 0800 807060 (or any other number subsequently notified in writing by the Agency);
- Days and hours the site is open to receive waste.

5 Site operations

5.1 Leaks & spillages

Potentially polluting leaks & spillages from vehicles, plant & equipment

All vehicles used on the site by the operator, and all plant and all equipment used on the site in connection with specified waste management operations, shall be operated and maintained with the objective of preventing potentially polluting leaks and spillages of wastes or other potentially polluting materials which are to be used in combination with those wastes in the specified waste management operations.

Control & remediation of leaks & spillages

- 5.1.2 All areas of impermeable pavement shall be provided with suitable cleanser-degreaser equipment.
- 5.1.3 In the event of any potentially polluting leak or spillage occurring on site, documented control and remediation procedures shall be implemented immediately and recorded, and shall meet the standards specified in Table 5.1 below.

WML Number:

EAWML40217

Action			Specified standards			
a)	Loading and unloading skips, drums		Loading and unloading of skips, drums and other containers shall be supervised at all times by a member of staff.			
	and other containers	ii)	Lids/ caps/ bungs or other closures shall be in place during loading/ unloading.			
		iii)	Loading/ unloading shall be carried out in an area provided with engineered containment of the type required for that waste and of the standard of containment specified under condition 3.1			
b)	Filling and emptying, tanks, drums	i)	Filling and emptying of tanks, drums and other containers shall be supervised at all times by a member of staff.			
	and other containers	ii)	Lids/ caps/ bungs or other closures shall be in place at the end of filling			
		iii)	Containers, tanks and drums shall not be filled beyond their operational capacity.			
		iv)	Filling and emptying shall be carried out in a bunded area maintained in accordance with condition 3.1			
		v)	Measurement of level/ void space shall be by physical dipping prior to loading.			
c)	Inspection, maintenance and repair	i)	Skips, tanks, drums and other containers shall be inspected daily for leaks.			
	of skips, tanks, drums and other containers	ii)	Any fixed tanks found to be leaking shall have their contents immediately transferred to an alternative appropriate tank or container.			
		iii)	Any skips, drums and/or other containers found to be leaking either shall be immediately transferred to a larger appropriate over-container or shall have their contents immediately transferred to an alternative appropriate tank or container.			
d)	Control and remediation of leaks and spillages	i)	Minor spillages of oil, fuel or other end of life vehicle fluid shall be cleaned up immediately, using sand or proprietary absorbent to clean up liquids and placed in alternative containers.			
	spillages	ii)	Major spillages of oil, fuel or other end of life vehicle fluid which are causing or are likely to cause polluting emissions to the environment:			
			 Immediate action shall taken to contain the spillage and prevent liquid from entering surface water drains, water courses and unsurfaced ground; 			
			 the spillage shall be cleared immediately and placed in alternative appropriate containers; 			
			the Agency shall be informed immediately.			

5.2 Fires on the site

Prohibition of fires on site

5.2.1 No wastes shall be burned on the site.

Actions to be taken in the event of a fire

5.2.2 In the event of a fire on the site, immediately following taking action to suppress and extinguish the fire, the following actions shall be implemented immediately and recorded in the site diary:

a the Agency shall be informed of the fire; and

WML Number:

EAWML40217

b so far as practicable, contaminated site drainage shall be prevented from entering any surface water drain or water course or unsurfaced ground.

5.3 Waste acceptance & control procedures

Waste acceptance procedures

5.3.1 All wastes shall be received, inspected, accepted or rejected, and recorded in accordance with the standards specified in Table 5.3 below.

Waste control procedures

5.3.2 All wastes accepted at the site shall be handled, kept and recorded in accordance with the standards specified in Table 5.3 below.

Waste despatch procedures

5.3.3 All outgoing wastes shall be inspected, despatched and recorded in accordance with the standards specified in Table 5.3 below.

Sta	ige of Waste Handling	Specified standards			
a) Waste inspection		All vehicles received at the site:			
		Shall be inspected on receipt to confirm their description and depollution status against the relevant waste transfer note and any other accompanying documentation.			
b)	Waste control procedures: quarantine storage and rejection of wastes	 Any items of non-permitted waste which are detected after acceptance at the site, shall be placed immediately in a designated quarantine container, and, where these are or appear to be special wastes, the Agency shall be informed immediately; 			
		 ii) In the quarantine area, wastes shall be kept segregated from other wastes which are or are likely to be incompatible; 			
		iii) Quarantined wastes shall be removed from site within 7 days;			
		iv) The maximum quantity of wastes kept in the quarantine storage area shall be 4.6m ³ at any one time.			
		 A record shall be kept in the site diary of all rejected wastes and all wastes kept in quarantine storage. 			
c)	Waste despatch procedures	All wastes despatched from the site shall be inspected prior to despatch to confirm their description and composition.			
d)	Incompatible wastes	Incompatible wastes that are likely, in combination with each other or with other material at the facility, to give rise to pollution of the environment or harm to human health outside the site, shall be clearly identified and kept physically separate in designated areas.			

WML Number:

EAWML40217

6 Site records

6.1 Records of waste movements

A summary of the waste types and quantities accepted and the waste types and quantities removed from the site shall be made for each financial year and shall be submitted to the Agency within 1 month following the end of that year. The summary record shall be in the format specified in Appendix A, and shall include the specified information.

6.2 Site diary

- A site diary shall be kept secure and shall be available for inspection at the site when required by an authorised officer of the Agency. This shall include a record of the following events, in accordance with the other conditions of this licence:
 - a construction work
 - h maintenance
 - breakdowns
 - **d** emergencies
 - problems with waste received and action taken
 - technically competent management attendance on site: the date and the time onto site and the time left site
 - complaints about site operations and actions taken
 - environmental problems and remedial actions
- 6.2.2 Each record shall be completed within 24 hours of the relevant event.

WML Number:

EAWML40217

7 Interpretation

In this permit the following expressions shall have the following meanings:

"Impermeable surface" means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface, and should be read in conjunction with the term "sealed drainage system" (below).

"Sealed drainage system" in relation to an impermeable pavement, means a drainage system with impermeable components which does not leak and which will ensure that:

- (a) no liquid will run off the pavement otherwise than via the system;
- (b) except where they may lawfully be discharged, all liquids entering the system are collected in a sealed sump

"Secure": A place is secure in relation to end-of-life vehicles or waste kept in it if all reasonable precautions are taken to ensure that the end-of-life vehicles, their contents or waste cannot escape from it.

"Technically competent management", "technical competence" and "relevant person" shall be as defined under Section 74, Environmental Protection Act 1990.

"ELV Regulations" means the End of Life Vehicles Regulations 2003 SI 2635.

"End-of-life Vehicles Directive" means Directive 2000/53/EC on end-of life vehicles.

"waste motor vehicle" means a motor vehicle of any type that is waste and includes an end-of-life vehicle.

WML Number:

EAWML40217

8 Appendices to conditions

Appendix A:- Format for summary records of wastes accepted and removed (Condition 6.1.1)

WML Number:

EAWML40217

Appendix A - Adam Ravat & Ebrahim Ravat, E&S Motors, Queen Street, Walsall, West Midlands Date ed

For Environment Agency use only

received	Date	process

Local site licence number

EAWML number



Waste return

Environmental Protection Act 1990

Environment Agency
Wrens Court
15-17 Lower Queen Street,
Sutton Coldfield
West Midlands
B72 1RT

- Use this form to tell us the type and quantity of controlled waste you have processed at your site over

15-17 Lower Queen Street,	the last month.
Sutton Coldfield	Please read through the whole form and guidance note before your feet St.
West Midlands	before you start filling anything in.
B72 1RT	Please send the completed form back to us within 1 days of the end of the returns period to the address of the left.
1 The period the return covers	2 Landfill sites only continued
1.1 Please tell us the month and give the year	2.6 Was the site fully surveyed before 31 March 1999?
Month	No go to question 2.7
	Yes Please tell us how the void space was calculated
2 Operator and site details	
2.1 Site Operator	
	Now go to question 2.8
Site name	2.7 How have you estimated the remaining void space?
	For example visually or other method
Site Address	
	2.8 Remaining life of site
Postcode	Years
	Now go to sections 3 and 4
Phone	5 Declaration
2.2 Type of Facility	Please make sure you have filled in all the sections that apply to yo before signing this declaration.
	I certify that the information in this return is correct to the best of m knowledge and belief.
2.3 Was a weighbridge used?	l enclose continuation sheets
, <u> </u>	Signature
Please tell us the proportion weighed Percentage	
2.4 Are you operating a landfill site?	
No go to section '3' Waste received on site' on page 2	Name
fes go to section 'Landfill sites only', question 2.5	Position
	Phone
andfill Sites only	Date
Please give details of remaining void space as at 31 March 1999 .5 Remaining void space covered by licence	6 Disclosure and data protection
	The information you give up will be

The information you give us will be placed on the relevant public registers. It will be used by us and may be disclosed to third parties in connection with our statutory functions.

In the language used in data protection law, the information you provide on this form is 'voluntary'. You do not have to provide it

cubic metres

14/20/0	received	LANGETTO

Please read the guidance notes 'How to fill in the form', and use the continuation sheet WMS3 provided, or a copy of it, if you need to. In the last column D = final disposal U = used on site S = special waste (a consignment note is needed for special waste). F = from another facility, for example a transfer station <math>M = final disposal U = final disposal U = used on site S = special waste O = other biodegradable waste

Description of waste	Waste classification code	Origin*	State solid, powder, sludge, liquid, gas	Weight in tonnes	Additional information D U S F M O
					700000
		1			
		_			
				ļ	
		-			
		-		-	
		-			
		_			
		_			
		-		1	
				1	
		_		1	
		_			
	Total weigh	t in tonnes of n	naterial received on site	•	tonnes
			and the second s	1.5 1.1	

4 Waste removed from site

Please read the guidance notes 'How to fill in the form', and use the continuation sheet WMS3 provided, or a copy of it, if you need to. In the last column, facility types could include 'incinerator, transfer station, landfill, treatment, reprocessing, recycling'.

	classification code		solld, powder, sludge, liquid, gas	Weight in tonnes	Special waste	Destination facility type
			<u> </u>			
		<u> </u>				
				<u> </u>		
	-					
		<u> </u>				
				-		
	i			1		
	\ <u> </u>	-				
		-		1		
Total weight in ton	nes of materi	al removed from site		<u> </u>		tonne

Now go to section '5 Declaration' on page 1

^{*} You may not need to give us this information. The requirements are set out in your waste management licence.